

# AS-568 Standard O-Ring Size Chart

AS-568	Nominal Dimensions			Actual Dimensions	
	ID	OD	CS	ID, Tolerance	CS, Tolerance
-001	1/32	3/32	1/32	.029 ± .004	.040 ± .003
-001 1/2	1/16	1/8	1/32	.070 ± .004	.040 ± .003
-002	3/64	9/64	3/64	.042 ± .004	.050 ± .003
-003	1/16	3/16	1/16	.056 ± .004	.060 ± .003
-004	5/64	13/64	1/16	.070 ± .005	.070 ± .003
-005	3/32	7/32	1/16	.101 ± .005	.070 ± .003
-006	1/8	1/4	1/16	.114 ± .005	.070 ± .003
-007	5/32	9/32	1/16	.145 ± .005	.070 ± .003
-008	3/16	5/16	1/16	.176 ± .005	.070 ± .003
-009	7/32	11/32	1/16	.208 ± .005	.070 ± .003
-010	1/4	3/8	1/16	.239 ± .005	.070 ± .003
-011	5/16	7/16	1/16	.301 ± .005	.070 ± .003
-012	3/8	1/2	1/16	.364 ± .005	.070 ± .003
-013	7/16	9/16	1/16	.426 ± .005	.070 ± .003
-014	1/2	5/8	1/16	.489 ± .005	.070 ± .003
-015	9/16	11/16	1/16	.551 ± .007	.070 ± .003
-016	5/8	3/4	1/16	.614 ± .009	.070 ± .003
-017	11/16	13/16	1/16	.676 ± .009	.070 ± .003
-018	3/4	7/8	1/16	.739 ± .009	.070 ± .003
-019	13/16	15/16	1/16	.801 ± .009	.070 ± .003
-020	7/8	1	1/16	.864 ± .009	.070 ± .003
-021	15/16	1 1/16	1/16	.926 ± .009	.070 ± .003
-022	1	1 1/8	1/16	.989 ± .010	.070 ± .003
-023	1 1/16	1 3/16	1/16	1.051 ± .010	.070 ± .003
-024	1 1/8	1 1/4	1/16	1.114 ± .010	.070 ± .003
-025	1 3/16	1 5/16	1/16	1.176 ± .011	.070 ± .003
-026	1 1/4	1 3/8	1/16	1.239 ± .011	.070 ± .003
-027	1 5/16	1 7/16	1/16	1.301 ± .011	.070 ± .003
-028	1 3/8	1 1/2	1/16	1.364 ± .013	.070 ± .003
-029	1 1/2	1 5/8	1/16	1.489 ± .013	.070 ± .003
-030	1 5/8	1 3/4	1/16	1.614 ± .013	.070 ± .003
-031	1 3/4	1 7/8	1/16	1.739 ± .015	.070 ± .003
-032	1 7/8	2	1/16	1.864 ± .015	.070 ± .003
-033	2	2 1/8	1/16	1.989 ± .018	.070 ± .003
-034	2 1/8	2 1/4	1/16	2.114 ± .018	.070 ± .003
-035	2 1/4	2 3/8	1/16	2.239 ± .018	.070 ± .003
-036	2 3/8	2 1/2	1/16	2.364 ± .018	.070 ± .003
-037	2 1/2	2 5/8	1/16	2.489 ± .018	.070 ± .003
-038	2 5/8	2 3/4	1/16	2.614 ± .020	.070 ± .003
-039	2 3/4	2 7/8	1/16	2.739 ± .020	.070 ± .003
-040	2 7/8	3	1/16	2.864 ± .020	.070 ± .003
-041	3	3 1/8	1/16	2.989 ± .024	.070 ± .003
-042	3 1/4	3 3/8	1/16	3.239 ± .024	.070 ± .003

AS-568	Nominal Dimensions			Actual Dimensions	
	ID	OD	CS	ID, Tolerance	CS, Tolerance
-043	3 1/2	3 5/8	1/16	3.489 ± .024	.070 ± .003
-044	3 3/4	3 7/8	1/16	3.739 ± .027	.070 ± .003
-045	4	4 1/8	1/16	3.989 ± .027	.070 ± .003
-046	4 1/4	4 3/8	1/16	4.239 ± .030	.070 ± .003
-047	4 1/2	4 5/8	1/16	4.489 ± .030	.070 ± .003
-048	4 3/4	4 7/8	1/16	4.739 ± .030	.070 ± .003
-049	5	5 1/8	1/16	4.989 ± .037	.070 ± .003
-050	5 1/4	5 3/8	1/16	5.239 ± .037	.070 ± .003
-102	1/16	1/4	3/32	.049 ± .005	.103 ± .003
-103	3/32	9/32	3/32	.081 ± .005	.103 ± .003
-104	1/8	5/16	3/32	.112 ± .005	.103 ± .003
-105	5/32	11/32	3/32	.143 ± .005	.103 ± .003
-106	3/16	3/8	3/32	.174 ± .005	.103 ± .003
-107	7/32	13/32	3/32	.206 ± .005	.103 ± .003
-108	1/4	7/16	3/32	.237 ± .005	.103 ± .003
-109	5/16	1/2	3/32	.299 ± .005	.103 ± .003
-110	3/8	9/16	3/32	.362 ± .005	.103 ± .003
-111	7/16	5/8	3/32	.424 ± .005	.103 ± .003
-112	1/2	11/16	3/32	.487 ± .005	.103 ± .003
-113	9/16	3/4	3/32	.549 ± .007	.103 ± .003
-114	5/8	13/16	3/32	.612 ± .009	.103 ± .003
-115	11/16	7/8	3/32	.674 ± .009	.103 ± .003
-116	3/4	15/16	3/32	.737 ± .009	.103 ± .003
-117	13/16	1	3/32	.799 ± .010	.103 ± .003
-118	7/8	1 1/16	3/32	.862 ± .010	.103 ± .003
-119	15/16	1 1/8	3/32	.924 ± .010	.103 ± .003
-120	1	1 3/16	3/32	.987 ± .010	.103 ± .003
-121	1 1/16	1 1/4	3/32	1.049 ± .010	.103 ± .003
-122	1 1/8	1 5/16	3/32	1.112 ± .010	.103 ± .003
-123	1 3/16	1 3/8	3/32	1.174 ± .012	.103 ± .003
-124	1 1/4	1 7/16	3/32	1.237 ± .012	.103 ± .003
-125	1 5/16	1 1/2	3/32	1.299 ± .012	.103 ± .003
-126	1 3/8	1 9/16	3/32	1.362 ± .012	.103 ± .003
-127	1 7/16	1 5/8	3/32	1.424 ± .012	.103 ± .003
-128	1 1/2	1 11/16	3/32	1.487 ± .012	.103 ± .003
-129	1 9/16	1 3/4	3/32	1.549 ± .015	.103 ± .003
-130	1 5/8	1 13/16	3/32	1.612 ± .015	.103 ± .003
-131	1 11/16	1 7/8	3/32	1.674 ± .015	.103 ± .003
-132	1 3/4	1 15/16	3/32	1.737 ± .015	.103 ± .003
-133	1 13/16	2	3/32	1.799 ± .015	.103 ± .003
-134	1 7/8	2 1/16	3/32	1.862 ± .015	.103 ± .003
-135	1 15/16	2 1/8	3/32	1.925 ± .017	.103 ± .003
-136	2	2 3/16	3/32	1.987 ± .017	.103 ± .003

AS-568	Nominal Dimensions			Actual Dimensions	
	ID	OD	CS	ID, Tolerance	CS, Tolerance
-137	2 1/16	2 1/4	3/32	2.050 ± .017	.103 ± .003
-138	2 1/8	2 5/16	3/32	2.112 ± .017	.103 ± .003
-139	2 3/16	2 3/8	3/32	2.175 ± .017	.103 ± .003
-140	2 1/4	2 7/16	3/32	2.237 ± .017	.103 ± .003
-141	2 5/16	2 1/2	3/32	2.300 ± .020	.103 ± .003
-142	2 3/8	2 9/16	3/32	2.362 ± .020	.103 ± .003
-143	2 7/16	2 5/8	3/32	2.425 ± .020	.103 ± .003
-144	2 1/2	2 11/16	3/32	2.487 ± .020	.103 ± .003
-145	2 9/16	2 3/4	3/32	2.550 ± .020	.103 ± .003
-146	2 5/8	2 13/16	3/32	2.612 ± .020	.103 ± .003
-147	2 11/16	2 7/8	3/32	2.675 ± .022	.103 ± .003
-148	2 3/4	2 15/16	3/32	2.737 ± .022	.103 ± .003
-149	2 13/16	3	3/32	2.800 ± .022	.103 ± .003
-150	2 7/8	3 1/16	3/32	2.862 ± .022	.103 ± .003
-151	3	3 3/16	3/32	2.987 ± .024	.103 ± .003
-152	3 1/4	3 7/16	3/32	3.237 ± .024	.103 ± .003
-153	3 1/2	3 11/16	3/32	3.487 ± .024	.103 ± .003
-154	3 3/4	3 15/16	3/32	3.737 ± .028	.103 ± .003
-155	4	4 3/16	3/32	3.987 ± .028	.103 ± .003
-156	4 1/4	4 7/16	3/32	4.237 ± .030	.103 ± .003
-157	4 1/2	4 11/16	3/32	4.487 ± .030	.103 ± .003
-158	4 3/4	4 15/16	3/32	4.737 ± .030	.103 ± .003
-159	5	5 3/16	3/32	4.987 ± .035	.103 ± .003
-160	5 1/4	5 7/16	3/32	5.237 ± .035	.103 ± .003
-161	5 1/2	5 11/16	3/32	5.487 ± .035	.103 ± .003
-162	5 3/4	5 15/16	3/32	5.737 ± .035	.103 ± .003
-163	6	6 3/16	3/32	5.987 ± .035	.103 ± .003
-164	6 1/4	6 7/16	3/32	6.237 ± .040	.103 ± .003
-165	6 1/2	6 11/16	3/32	6.487 ± .040	.103 ± .003
-166	6 3/4	6 15/16	3/32	6.737 ± .040	.103 ± .003
-167	7	7 3/16	3/32	6.987 ± .040	.103 ± .003
-168	7 1/4	7 7/16	3/32	7.237 ± .045	.103 ± .003
-169	7 1/2	7 11/16	3/32	7.487 ± .045	.103 ± .003
-170	7 3/4	7 15/16	3/32	7.737 ± .045	.103 ± .003
-171	8	8 3/16	3/32	7.987 ± .045	.103 ± .003
-172	8 1/4	8 7/16	3/32	8.237 ± .050	.103 ± .003
-173	8 1/2	8 11/16	3/32	8.487 ± .050	.103 ± .003
-174	8 3/4	8 15/16	3/32	8.737 ± .050	.103 ± .003
-175	9	9 3/16	3/32	8.987 ± .050	.103 ± .003
-176	9 1/4	9 7/16	3/32	9.237 ± .055	.103 ± .003
-177	9 1/2	9 11/16	3/32	9.487 ± .055	.103 ± .003
-178	9 3/4	9 15/16	3/32	9.737 ± .055	.103 ± .003
-201	3/16	7/16	1/8	.171 ± .005	.139 ± .004
-202	1/4	1/2	1/8	.234 ± .005	.139 ± .004
-203	5/16	9/16	1/8	.296 ± .005	.139 ± .004
-204	3/8	5/8	1/8	.359 ± .005	.139 ± .004
-205	7/16	11/16	1/8	.421 ± .005	.139 ± .004
-206	1/2	3/4	1/8	.484 ± .005	.139 ± .004
-207	9/16	13/16	1/8	.546 ± .007	.139 ± .004

AS-568	Nominal Dimensions			Actual Dimensions	
	ID	OD	CS	ID, Tolerance	CS, Tolerance
-208	5/8	7/8	1/8	.609 ± .009	.139 ± .004
-209	11/16	15/16	1/8	.671 ± .009	.139 ± .004
-210	3/4	1	1/8	.734 ± .010	.139 ± .004
-211	13/16	1 1/16	1/8	.796 ± .010	.139 ± .004
-212	7/8	1 1/8	1/8	.859 ± .010	.139 ± .004
-213	15/16	1 3/16	1/8	.921 ± .010	.139 ± .004
-214	1	1 1/4	1/8	.984 ± .010	.139 ± .004
-215	1 1/16	1 5/16	1/8	1.046 ± .010	.139 ± .004
-216	1 1/8	1 3/8	1/8	1.109 ± .012	.139 ± .004
-217	1 3/16	1 7/16	1/8	1.171 ± .012	.139 ± .004
-218	1 1/4	1 1/2	1/8	1.234 ± .012	.139 ± .004
-219	1 5/16	1 9/16	1/8	1.296 ± .012	.139 ± .004
-220	1 3/8	1 5/8	1/8	1.359 ± .012	.139 ± .004
-221	1 7/16	1 11/16	1/8	1.421 ± .012	.139 ± .004
-222	1 1/2	1 3/4	1/8	1.484 ± .015	.139 ± .004
-223	1 5/8	1 7/8	1/8	1.609 ± .015	.139 ± .004
-224	1 3/4	2	1/8	1.734 ± .015	.139 ± .004
-225	1 7/8	2 1/8	1/8	1.859 ± .018	.139 ± .004
-226	2	2 1/4	1/8	1.984 ± .018	.139 ± .004
-227	2 1/8	2 3/8	1/8	2.109 ± .018	.139 ± .004
-228	2 1/4	2 1/2	1/8	2.234 ± .020	.139 ± .004
-229	2 3/8	2 5/8	1/8	2.359 ± .020	.139 ± .004
-230	2 1/2	2 3/4	1/8	2.484 ± .020	.139 ± .004
-231	2 5/8	2 7/8	1/8	2.609 ± .020	.139 ± .004
-232	2 3/4	3	1/8	2.734 ± .024	.139 ± .004
-233	2 7/8	3 1/8	1/8	2.859 ± .024	.139 ± .004
-234	3	3 1/4	1/8	2.984 ± .024	.139 ± .004
-235	3 1/8	3 3/8	1/8	3.109 ± .024	.139 ± .004
-236	3 1/4	3 1/2	1/8	3.234 ± .024	.139 ± .004
-237	3 3/8	3 5/8	1/8	3.359 ± .024	.139 ± .004
-238	3 1/2	3 3/4	1/8	3.484 ± .024	.139 ± .004
-239	3 5/8	3 7/8	1/8	3.609 ± .028	.139 ± .004
-240	3 3/4	4	1/8	3.734 ± .028	.139 ± .004
-241	3 7/8	4 1/8	1/8	3.859 ± .028	.139 ± .004
-242	4	4 1/4	1/8	3.984 ± .028	.139 ± .004
-243	4 1/8	4 3/8	1/8	4.109 ± .028	.139 ± .004
-244	4 1/4	4 1/2	1/8	4.234 ± .030	.139 ± .004
-245	4 3/8	4 5/8	1/8	4.359 ± .030	.139 ± .004
-246	4 1/2	4 3/4	1/8	4.484 ± .030	.139 ± .004
-247	4 5/8	4 7/8	1/8	4.609 ± .030	.139 ± .004
-248	4 3/4	5	1/8	4.734 ± .030	.139 ± .004
-249	4 7/8	5 1/8	1/8	4.859 ± .035	.139 ± .004
-250	5	5 1/4	1/8	4.984 ± .035	.139 ± .004
-251	5 1/8	5 3/8	1/8	5.109 ± .035	.139 ± .004
-252	5 1/4	5 1/2	1/8	5.234 ± .035	.139 ± .004
-253	5 3/8	5 5/8	1/8	5.359 ± .035	.139 ± .004
-254	5 1/2	5 3/4	1/8	5.484 ± .035	.139 ± .004
-255	5 5/8	5 7/8	1/8	5.609 ± .035	.139 ± .004
-256	5 3/4	6	1/8	5.734 ± .035	.139 ± .004

AS-568	Nominal Dimensions			Actual Dimensions	
	ID	OD	CS	ID, Tolerance	CS, Tolerance
-257	5 7/8	6 1/8	1/8	5.859 ± .035	.139 ± .004
-258	6	6 1/4	1/8	5.984 ± .035	.139 ± .004
-259	6 1/4	6 1/2	1/8	6.234 ± .040	.139 ± .004
-260	6 1/2	6 3/4	1/8	6.484 ± .040	.139 ± .004
-261	6 3/4	7	1/8	6.734 ± .040	.139 ± .004
-262	7	7 1/4	1/8	6.984 ± .040	.139 ± .004
-263	7 1/4	7 1/2	1/8	7.234 ± .045	.139 ± .004
-264	7 1/2	7 3/4	1/8	7.484 ± .045	.139 ± .004
-265	7 3/4	8	1/8	7.734 ± .045	.139 ± .004
-266	8	8 1/4	1/8	7.984 ± .045	.139 ± .004
-267	8 1/4	8 1/2	1/8	8.234 ± .050	.139 ± .004
-268	8 1/2	8 3/4	1/8	8.484 ± .050	.139 ± .004
-269	8 3/4	9	1/8	8.734 ± .050	.139 ± .004
-270	9	9 1/4	1/8	8.984 ± .050	.139 ± .004
-271	9 1/4	9 1/2	1/8	9.234 ± .055	.139 ± .004
-272	9 1/2	9 3/4	1/8	9.484 ± .055	.139 ± .004
-273	9 3/4	10	1/8	9.734 ± .055	.139 ± .004
-274	10	10 1/4	1/8	9.984 ± .055	.139 ± .004
-275	10 1/2	10 3/4	1/8	10.484 ± .055	.139 ± .004
-276	11	11 1/4	1/8	10.984 ± .065	.139 ± .004
-277	11 1/2	11 3/4	1/8	11.484 ± .065	.139 ± .004
-278	12	12 1/4	1/8	11.984 ± .065	.139 ± .004
-279	13	13 1/4	1/8	12.984 ± .065	.139 ± .004
-280	14	14 1/4	1/8	13.984 ± .065	.139 ± .004
-281	15	15 1/4	1/8	14.984 ± .065	.139 ± .004
-282	16	16 1/4	1/8	15.955 ± .075	.139 ± .004
-283	17	17 1/4	1/8	16.955 ± .080	.139 ± .004
-284	18	18 1/4	1/8	17.955 ± .085	.139 ± .004
-309	7/16	13/16	3/16	.412 ± .005	.210 ± .005
-310	1/2	7/8	3/16	.475 ± .005	.210 ± .005
-311	9/16	15/16	3/16	.537 ± .007	.210 ± .005
-312	5/8	1	3/16	.600 ± .009	.210 ± .005
-313	11/16	1 1/16	3/16	.662 ± .009	.210 ± .005
-314	3/4	1 1/8	3/16	.725 ± .010	.210 ± .005
-315	13/16	1 3/16	3/16	.787 ± .010	.210 ± .005
-316	7/8	1 1/4	3/16	.850 ± .010	.210 ± .005
-317	15/16	1 5/16	3/16	.912 ± .010	.210 ± .005
-318	1	1 3/8	3/16	.975 ± .010	.210 ± .005
-319	1 1/16	1 7/16	3/16	1.037 ± .010	.210 ± .005
-320	1 1/8	1 1/2	3/16	1.100 ± .012	.210 ± .005
-321	1 3/16	1 9/16	3/16	1.162 ± .012	.210 ± .005
-322	1 1/4	1 5/8	3/16	1.225 ± .012	.210 ± .005
-323	1 5/16	1 11/16	3/16	1.287 ± .012	.210 ± .005
-324	1 3/8	1 3/4	3/16	1.350 ± .012	.210 ± .005
-325	1 1/2	1 7/8	3/16	1.475 ± .015	.210 ± .005
-326	1 5/8	2	3/16	1.600 ± .015	.210 ± .005
-327	1 3/4	2 1/8	3/16	1.725 ± .015	.210 ± .005
-328	1 7/8	2 1/4	3/16	1.850 ± .015	.210 ± .005
-329	2	2 3/8	3/16	1.975 ± .018	.210 ± .005

AS-568	Nominal Dimensions			Actual Dimensions	
	ID	OD	CS	ID, Tolerance	CS, Tolerance
-330	2 1/8	2 1/2	3/16	2.100 ± .018	.210 ± .005
-331	2 1/4	2 5/8	3/16	2.225 ± .018	.210 ± .005
-332	2 3/8	2 3/4	3/16	2.350 ± .018	.210 ± .005
-333	2 1/2	2 7/8	3/16	2.475 ± .020	.210 ± .005
-334	2 5/8	3	3/16	2.600 ± .020	.210 ± .005
-335	2 3/4	3 1/8	3/16	2.725 ± .020	.210 ± .005
-336	2 7/8	3 1/4	3/16	2.850 ± .020	.210 ± .005
-337	3	3 3/8	3/16	2.975 ± .024	.210 ± .005
-338	3 1/8	3 1/2	3/16	3.100 ± .024	.210 ± .005
-339	3 1/4	3 5/8	3/16	3.225 ± .024	.210 ± .005
-340	3 3/8	3 3/4	3/16	3.350 ± .024	.210 ± .005
-341	3 1/2	3 7/8	3/16	3.475 ± .024	.210 ± .005
-342	3 5/8	4	3/16	3.600 ± .028	.210 ± .005
-343	3 3/4	4 1/8	3/16	3.725 ± .028	.210 ± .005
-344	3 7/8	4 1/4	3/16	3.850 ± .028	.210 ± .005
-345	4	4 3/8	3/16	3.975 ± .028	.210 ± .005
-346	4 1/8	4 1/2	3/16	4.100 ± .028	.210 ± .005
-347	4 1/4	4 5/8	3/16	4.225 ± .030	.210 ± .005
-348	4 3/8	4 3/4	3/16	4.350 ± .030	.210 ± .005
-349	4 1/2	4 7/8	3/16	4.475 ± .030	.210 ± .005
-350	4 5/8	5	3/16	4.600 ± .030	.210 ± .005
-351	4 3/4	5 1/8	3/16	4.725 ± .030	.210 ± .005
-352	4 7/8	5 1/4	3/16	4.850 ± .030	.210 ± .005
-353	5	5 3/8	3/16	4.975 ± .037	.210 ± .005
-354	5 1/8	5 1/2	3/16	5.100 ± .037	.210 ± .005
-355	5 1/4	5 5/8	3/16	5.225 ± .037	.210 ± .005
-356	5 3/8	5 3/4	3/16	5.350 ± .037	.210 ± .005
-357	5 1/2	5 7/8	3/16	5.475 ± .037	.210 ± .005
-358	5 5/8	6	3/16	5.600 ± .037	.210 ± .005
-359	5 3/4	6 1/8	3/16	5.725 ± .037	.210 ± .005
-360	5 7/8	6 1/4	3/16	5.850 ± .037	.210 ± .005
-361	6	6 3/8	3/16	5.975 ± .037	.210 ± .005
-362	6 1/4	6 5/8	3/16	6.225 ± .040	.210 ± .005
-363	6 1/2	6 7/8	3/16	6.475 ± .040	.210 ± .005
-364	6 3/4	7 1/8	3/16	6.725 ± .040	.210 ± .005
-365	7	7 3/8	3/16	6.975 ± .040	.210 ± .005
-366	7 1/4	7 5/8	3/16	7.225 ± .045	.210 ± .005
-367	7 1/2	7 7/8	3/16	7.475 ± .045	.210 ± .005
-368	7 3/4	8 1/8	3/16	7.725 ± .045	.210 ± .005
-369	8	8 3/8	3/16	7.975 ± .045	.210 ± .005
-370	8 1/4	8 5/8	3/16	8.225 ± .050	.210 ± .005
-371	8 1/2	8 7/8	3/16	8.475 ± .050	.210 ± .005
-372	8 3/4	9 1/8	3/16	8.725 ± .050	.210 ± .005
-373	9	9 3/8	3/16	8.975 ± .050	.210 ± .005
-374	9 1/4	9 5/8	3/16	9.225 ± .055	.210 ± .005
-375	9 1/2	9 7/8	3/16	9.475 ± .055	.210 ± .005
-376	9 3/4	10 1/8	3/16	9.725 ± .055	.210 ± .005
-377	10	10 3/8	3/16	9.975 ± .055	.210 ± .005
-378	10 1/2	10 7/8	3/16	10.475 ± .060	.210 ± .005

AS-568	Nominal Dimensions			Actual Dimensions	
	ID	OD	CS	ID, Tolerance	CS, Tolerance
-379	11	11 3/8	3/16	10.975 ± .060	.210 ± .005
-380	11 1/2	11 7/8	3/16	11.475 ± .065	.210 ± .005
-381	12	12 3/8	3/16	11.975 ± .065	.210 ± .005
-382	13	13 3/8	3/16	12.975 ± .065	.210 ± .005
-383	14	14 3/8	3/16	13.975 ± .070	.210 ± .005
-384	15	15 3/8	3/16	14.975 ± .070	.210 ± .005
-385	16	16 3/8	3/16	15.955 ± .075	.210 ± .005
-386	17	17 3/8	3/16	16.955 ± .080	.210 ± .005
-387	18	18 3/8	3/16	17.955 ± .085	.210 ± .005
-388	19	19 3/8	3/16	18.955 ± .090	.210 ± .005
-389	20	20 3/8	3/16	19.955 ± .095	.210 ± .005
-390	21	21 3/8	3/16	20.955 ± .095	.210 ± .005
-391	22	22 3/8	3/16	21.955 ± .100	.210 ± .005
-392	23	23 3/8	3/16	22.940 ± .105	.210 ± .005
-393	24	24 3/8	3/16	23.940 ± .110	.210 ± .005
-394	25	25 3/8	3/16	24.940 ± .115	.210 ± .005
-395	26	26 3/8	3/16	25.940 ± .120	.210 ± .005
-425	4 1/2	5	1/4	4.475 ± .033	.275 ± .006
-426	4 5/8	5 1/8	1/4	4.600 ± .033	.275 ± .006
-427	4 3/4	5 1/4	1/4	4.725 ± .033	.275 ± .006
-428	4 7/8	5 3/8	1/4	4.850 ± .033	.275 ± .006
-429	5	5 1/2	1/4	4.975 ± .037	.275 ± .006
-430	5 1/8	5 5/8	1/4	5.100 ± .037	.275 ± .006
-431	5 1/4	5 3/4	1/4	5.225 ± .037	.275 ± .006
-432	5 3/8	5 7/8	1/4	5.350 ± .037	.275 ± .006
-433	5 1/2	6	1/4	5.475 ± .037	.275 ± .006
-434	5 5/8	6 1/8	1/4	5.600 ± .037	.275 ± .006
-435	5 3/4	6 1/4	1/4	5.725 ± .037	.275 ± .006
-436	5 7/8	6 3/8	1/4	5.850 ± .037	.275 ± .006
-437	6	6 1/2	1/4	5.975 ± .037	.275 ± .006
-438	6 1/4	6 3/4	1/4	6.225 ± .040	.275 ± .006
-439	6 1/2	7	1/4	6.475 ± .040	.275 ± .006
-440	6 3/4	7 1/4	1/4	6.725 ± .040	.275 ± .006
-441	7	7 1/2	1/4	6.975 ± .040	.275 ± .006
-442	7 1/4	7 3/4	1/4	7.225 ± .045	.275 ± .006
-443	7 1/2	8	1/4	7.475 ± .045	.275 ± .006
-444	7 3/4	8 1/4	1/4	7.725 ± .045	.275 ± .006
-445	8	8 1/2	1/4	7.975 ± .045	.275 ± .006
-446	8 1/2	9	1/4	8.475 ± .055	.275 ± .006
-447	9	9 1/2	1/4	8.975 ± .055	.275 ± .006
-448	9 1/2	10	1/4	9.475 ± .055	.275 ± .006
-449	10	10 1/2	1/4	9.975 ± .055	.275 ± .006
-450	10 1/2	11	1/4	10.475 ± .060	.275 ± .006
-451	11	11 1/2	1/4	10.975 ± .060	.275 ± .006
-452	11 1/2	12	1/4	11.475 ± .060	.275 ± .006
-453	12	12 1/2	1/4	11.975 ± .060	.275 ± .006
-454	12 1/2	13	1/4	12.475 ± .060	.275 ± .006
-455	13	13 1/2	1/4	12.975 ± .060	.275 ± .006
-456	13 1/2	14	1/4	13.475 ± .070	.275 ± .006

AS-568	Nominal Dimensions			Actual Dimensions	
	ID	OD	CS	ID, Tolerance	CS, Tolerance
-457	14	14 1/2	1/4	13.975 ± .070	.275 ± .006
-458	14 1/4	15	1/4	14.475 ± .070	.275 ± .006
-459	15	15 1/2	1/4	14.975 ± .070	.275 ± .006
-460	15 1/2	16	1/4	15.475 ± .070	.275 ± .006
-461	16	16 1/2	1/4	15.955 ± .075	.275 ± .006
-462	16 1/2	17	1/4	16.455 ± .075	.275 ± .006
-463	17	17 1/2	1/4	16.955 ± .080	.275 ± .006
-464	17 1/2	18	1/4	17.455 ± .085	.275 ± .006
-465	18	18 1/2	1/4	17.955 ± .085	.275 ± .006
-466	18 1/2	19	1/4	18.455 ± .085	.275 ± .006
-467	19	19 1/2	1/4	18.955 ± .090	.275 ± .006
-468	19 1/2	20	1/4	19.455 ± .090	.275 ± .006
-469	20	20 1/2	1/4	19.955 ± .090	.275 ± .006
-470	21	21 1/2	1/4	20.955 ± .090	.275 ± .006
-471	22	22 1/2	1/4	21.955 ± .100	.275 ± .006
-472	23	23 1/2	1/4	22.940 ± .105	.275 ± .006
-473	24	24 1/2	1/4	23.940 ± .110	.275 ± .006
-474	25	25 1/2	1/4	24.940 ± .115	.275 ± .006
-475	26	26 1/2	1/4	25.940 ± .120	.275 ± .006

